1-YEAR GUARANTEE

Montgomery Ward guarantees this Electronic Calculator against defects in materials and workmanship, as follows:

For 1-year from date of purchase Montgomery Ward will repair or, at its option, replace any defective part free, including labor.

For service covered by this guarantee, return calculator to any Montgomery Ward branch with evidence of date of purchase.

Out of Warranty Repair Facility:

Wards (TXI) Service Facility P.O. Box 22283 Dallas, Texas 75222

All correspondence regarding your calculator should include the model number and serial number found on the bottom of the calculator.

Distributed By: Montgomery Ward & Co., Inc. Chicago, Illinois 60607 OPERATING INSTRUCTIONS



P200 ELECTRONIC MEMORY CALCULATOR



DISTRIBUTED BY MONTGOMERY WARD & CO., INC. CHICAGO, I.L. 60607 ASSEMBLED IN U.S.A.

TABLE OF CONTENTS

												Page
IN	TRODUCTION										120	1
	Features				•				12			1
0	PERATING INS	TRU	JCT	101	NS							3
	Switches											3
	Keys		100		100							3
	Display				1,000					•		4
	Battery Consid	lerati	ions		25.0			Ċ				5
0	PERATING EX								-			
U								٠				7
	Addition and S											
	Multiplication											8
	Using the CE	Ke	У				2	9				8
	Multiplication	and	Divi	sio	n by	ya	Cor	ista	nt			9
	Calculations W											
	Negative N	umbe	ers									10
	Performing Mix	ked (Calc	ula	tior	ıs						11
	Using the Perce	ent K	ey									12
	Using the Mem	ory									-	14
	Multiplication	and I	Divi	sio	n U	sino	1					17
												16
	the Memory Division by a S	um	•	•	50		•			•	•	
	Product of Sur	ne									٠	17
	Sum of Produc	te	•	•	•							17
	Paciprocals	13										18
	Reciprocals .											18
	Product/Quotic	ent o	T St	ıms					•			19
	Squares		٠							0.0		20
	Raising Number	rs to	a P	ow	er					4		20
	Square Root .						2			*		21

INTRODUCTION

Thank you for purchasing the Wards P200 Portable Memory Calculator. The P200 features a full memory system which stores and recalls numbers and also sums numbers in the memory. Using the percent key, problems such as taxes, discounts, and percentage calculations are easily solved. The constant feature is there when needed for multiplication or division by a constant and is ignored when not wanted.

Designed with state-of-the-art MOS/LSI integrated circuits and constructed with quality components, the P200 should provide years of reliable service.

Features

Full Memory System – Electronic memory stores and recalls subtotals and results of previous calculations. Numbers stored in the P200 memory can be used without re-entering the numbers into the calculator.

Percent Key — % key permits easy calculation of percentages, taxes, discounts and other similar problems.

Easy to Operate — Press the keys in the same order as the problem is written.

Fully Portable — Weighs less than 10 ounces and fits neatly in a briefcase or purse.

Long Life — Solid-state components, integrated circuits, and a display using light emitting diodes, provide dependable operation and long life.

Rechargeable Batteries -3 "AA" nickel-cadmium rechargeable batteries provide 4-6 hours of portable power whrn fully charged. Batteries can be fully recharged over night (10 hours) with the power switch in the OFF position using the AC 9130 Adapter/Charger included with your calculator.

Disposable Batteries — The P200 can also operate from 4 size "AA" alkaline or carbon-zinc batteries (non-rechargeable). Alkaline batteries are recommended for maximum life. Some carbon-zinc batteries have a tendency to leak when fully discharged, causing damage to the calculator. When using carbon-zinc batteries, therefore, be sure that the batteries are removed immediately when fully discharged. Battery life, using alkaline batteries, will be approximately 15 hours of normal use.

OPERATING INSTRUCTIONS

Switches

On Switch — Located on top right side of the calculator. Turns calculator on and off.

Decimal Select Switch — Located on top left side of the calculator. Selects floating (F) or 2 or 4 decimal places for the answer.

Keys

- 0 9 **Keys** Enters numbers (limit 8 digits).
- · Key Enters a decimal point.
- Key Instructs the calculator to add the previous number or result to the following number.
- Key Instructs the calculator to subtract the following number from the previous number or result or assigns a negative sign to the following number.
- Key Instructs the calculator to multiply the previous number or result by the following number.
- ÷ Key Instructs the calculator to divide the previous number or result by the following number.
- **E**Key Instructs the calculator to complete the previously entered operations to provide the desired calculation result.
- C Key Clears (erases) information in calculator and display and sets calculator to zero for start of new problem. Pressing the C key does not clear the memory.
- Key Corrects an erroneous entry by clearing the last number entered manually on the keyboard.

Key — Converts keyboard entry into percentage.
When used with the x key, the key can be used to calculate any percentage of a displayed number, which then can be added to or subtracted from the original number. (See examples.)
When the key is used with division, results are expressed as a percentage.
Key – Transfers or adds a displayed number to the electronic memory. Note the Hey adds the displayed number to any number previously stored in the memory rather than replacing the previous number.
M- Key - Subtracts the display from memory.
Key — Recalls the number in memory to the display. The information shown on the display is also retained by the memory until the key is depressed.
Key – Clears the calculator memory.

Display

Power On Indication — The presence of digits in the display is indication that power is on.

Minus Sign — Appears on left side of display to indicate negative numbers.

Decimal Point — Automatically appears to the right of any number entered unless positioned in another sequence by use of . KEY. A zero will precede the decimal for decimal numbers.

Memory In Use Indication — When a number is stored in the memory, a — will appear at the left side of the display.

If the stored number is negative, a — will be seen when the MR key is pressed.

Calculation Overflow Indication — When a calculated result is more than eight digits, the sign will appear at the left of the display and the calculator will not accept any more key instructions until the c key is pressed. The display will show the 8 most significant digits of the calculation. If the memory is in use when the overflow occurs, a will be seen, and if a negative number recalled from memory is part of the calculation overflow, a will be seen.

Note: When a calculation overflow occurs in memory, all keys are inoperative until om or MR is depressed.

Battery Considerations

Calculator Operation — Before portable use, the batteries should be given a full charge of 10 hours with the switch in the OFF position. If during portable operation the display appears dim, calculations may be continued using the AC 9130 Adapter/Charger. Connect the adapter/charger to the calculator and charge for at least 1 minute with the power switch in the OFF position. Then turn the calculator on and continue calculations with the Adapter/Charger connected to the calculator. The calculator will not operate with the AC 9130 Adapter/Charger unless 3 nickel-cadmium batteries are properly installed according to the diagram in the battery cavity.

Low Battery Indication — When the batteries are low the display will appear dim. Recharge the nickel cadmium or replace the alkaline batteries when the display appears dim. Rechargeable batteries do lose their strength through non-use and after two or three months will require recharge before portable operation.

Periodic Recharging — For maximum rechargeable battery life, it is recommended that you operate the calculator as a portable and recharge the nickel cadmium batteries periodically. Although the calculator will operate indefinitely attached to the AC Adapter/Charger, the nickel cadmium batteries can lose their storage capability if they are not allowed to discharge occasionally.

WARNING: Avoid leaving the calculator on for several hours after the display appears dim. This will result in fully discharged batteries and may damage their ability to be recharged. This condition requires that the batteries be charged for an extended period of time (See inside back cover, paragraph 3).

Alkaline Battery Use — The P200 can be operated by 4 size "AA" alkaline batteries. To use alkaline batteries, remove the battery cover on the rear of the calculator and replace the 3 nickel cadmium batteries with 4 alkaline batteries.

CAUTION: Do not use the AC Adapter/Charger when operating the calculator with alkaline batteries.

OPERATING EXAMPLES

The following examples show how to operate the P200 and should be followed to become familiar with how the calculator works.

Before turning the calculator on, charge the batteries for one minute. The calculator can be used while the batteries are charging, but it is recommended that the batteries be charged for 10 hours before portable operation.

Place ON-OFF switch in the ON position, press the ckey, and a zero should appear in the display. In all examples, the decimal select switch is set at F unless DEC:2 or DEC:4 is shown prior to the problem.

Addition and Subtraction

Example: 4.23 + 4 = 8.23

4.23

Press	Displa
+	4.23
=	8.23

Example: 6 - 1.854 = 4.146

Enter	Press	Display	
6	-	6.	
1.854	=	4.146	

Example: 12.32 - 7 + 1.6 = 6.92

Enter	Press	Display
12.32	_	12.32
7	+	5.32
1.6	=	6.92

Multiplication and Division

Example: 27.2 X 18 = 489.6

Enter	Press	Display	
27.2	x		
18	=	489.6	

Example: $12 \div 5.2 = 2.3076923$

Enter	Press	Display	
12	÷	12	
5.2	=	2.3076923	

Example: $(4 \times 7.3) \div 2 = 14.6$

nter	Press	Display
l	x	4.
.3	÷	29.2
2	=	14.6

Using the CE Key

When an incorrect number is entered in a calculation, the CEE (clear entry) key is used to clear the display so the correct number can be entered and the calculation continued.

Example: 5 + 3 = 8

Enter	Press	Display	Remarks
5	+	5.	
4		4.	4 pressed incorrectly
	CE	0.	Clear entry
3	=	8.	Enter correct number and
			complete calculation

Multiplication and Division by a Constant

The constant feature of the P200 allows multiplication or division of a series of numbers by one number. A number entered before the x key in multiplication and after the + key in division becomes the constant. The constant is erased by pressing the c key.

Also, a number entered before the + key becomes a constant add number and a number entered after the key becomes a constant subtract number.

Example: $4 \times 5 = 20, 4 \times 6 = 24, 4 \times 7 = 28$

Enter	Press	Display
4	x	4.
5	=	20.
6	=	24.
7	=	28.

Example: $12 \div 2 = 6$, $20 \div 2 = 10$, $44 \div 2 = 22$

Enter	Press	Display
12	÷	12.
2	=	6.
20	=	10.
44	_ =	22.

Example:
$$5 + 3 = 8$$
, $5 + 9 = 14$, $5 + 91 = 96$

Enter	Press	Display
5	+	5.
3	=	8.
9	=	14.
91	=	96.

Example:
$$8 - 6 = 2$$
, $25 - 6 = 19$, $3 - 6 = -3$

Enter	Press	Display
8	_ 。	8.
6	=	2.
25	=	19.
3	=	-3.

Calculations With Positive and Negative Numbers

When performing multiplication or division, a negative value is assigned to a number by pressing the __ key before entering the number.

Example:
$$\left(\frac{-125}{5} + 3\right) \times (-4) = 88$$

Enter	Press	Display
	c _	0.
125	÷	-125.
5	+	-25.
3	x	-0.
4	=	88.

NOTE: When the first number of a calculation is a negative number, the previous problem must be cleared manually by pressing the c key (the - is a function key and will not automatically clear the calculator).

Performing Mixed Calculations

The P200 can do mixed calculations — combinations of add +, subtract -, multiply x, and divide + very easily. Just press the keys in the same order as the problem is written.

Example: $12 \times 13 \div 14 + 15 - 16 = 10.142857$

Enter	Press	Display
12	x	12.
13	÷	156.
14	+	11.142857
15	_	26.142857
16	=	10.142857

Using the Percent Key

It's easy to find percentages with the P200's percent key. The following examples show how.

DEC:2

Example: 6% of \$1,250.00

Enter	Press	Display
1250	×	1250.
6	%	75.

Example: \$65.00 plus 5% tax

Enter	Press	Display	Remarks
65	x	65.	
5	%	3.25	Amount of tax
	+	68.25	Total

Example: \$85.00 less 8% discount

Enter	Press	Display	Remarks
85	x	85.	2
8	%	6.8	Amt. of discount
	_	78.2	Total

Example: \$125.00 less 10% discount plus 4% tax.

Enter	Press	Display	Remarks
125	x	125.	
10	%	12.5	Amt. of discount
	- x	112.5	Discounted price
4	%	4.5	Amount of tax
	+	117.	Ťotal

Subtotals and Grand Totals

DEC:F

Example:		19.95 +12.95	
	-10%	32.90 - 3.29	
		29.61 +16.00 - 7.95	Subtotal
	-5%	37.66 - 1.883	
		35.777	Grand Total

Enter	Press	Display
	CCM	0.
19.95	+	19.95
12.95	×	32.9
10	%-	3.29
	- +	29.61
16	-	45.61
7.95	=	37.66
	×	37.66
5	*	1.883
		35.777

Using the Memory

Storing and Recalling Numbers

Example: $2 \times 3 = 6$

mory

Example:
$$\frac{(2 \times 3) + (3 \times 5) + (6 \times 5)}{3} = 17$$

Enter	Press	Display	Memory
2	x	2.	
3	= M+	6.	6
3	×	· 3.	6
5	= M+	⁻ 15.	21
6	×	- 6.	21
5	= M+	30.	51
	C MR ÷	51.	51
3	=	17 .	51

Note: The automatic constant must be cleared by pressing the \fbox{c} key before pressing the \fbox{mn} key.

Group and Grand Totals

Calculate the amount to be added/subtracted in memory using the +, -, \times or + keys and the = key; then depress + to add to memory or + to subtract from memory.

Example:	5	4
	+6	+2
	+7	+9
	18	+ 15 = 33

Enter	Press	Display	Memory
5	+	5.	0
6	+	11.	0
7	=	18.	0
	948-4-	□ 18.	18
4	+	- 4.	18
2	+	6.	18
9	= -	┌ 15.	18
	M+	15.	33
	MOPR	┌ 33.	33

sliderulemuseum.com Multiplication and Division Using the Memory

DEC:2

Total = \$77.54

Press	Display	Memory
ССМ	0.	0
x	4.	0
= M+	47.96	47.96
x	6.	47.96
= M+	17.82	65.78
x	12.	65.78
= M+	11.76	77.54
MR	77.54	77.54
	C CM X = M+ X = M+	C CM 0. X 4. = M+ 47.96 X 6. = M+ 17.82 X 12. = M+ 11.76

DEC:F

Example:
$$\frac{\$1.98}{4} + \frac{\$2.27}{2} + \frac{\$4.98}{8} = \$2.25$$

Enter	Press	Display	Memory
	C CM	0.	0
1.98	÷	1.98	0
4	= M+	0.495	0.495
2.27	÷	2.27	0.495
2	= M+	1.135	1.63
4.98	÷	4.98	1.63
8	= M+	0.6225	2.2525
	DEC:2	0.6225	2.2525
	C MR =	2.25	2.2525

Division by a Sum

DEC:F

Example:
$$\frac{1500}{15 + 25 + 35} = 20$$

Enter	Press	Display	Memory
	C CM	0.	0
15	+	15.	0
25	+	40.	0
35	= M+	75.	75
1500	÷	1500.	75
	MR =	20.	75

Product of Sums

DEC:F

Example: $(2 + 3) \times (4 + 5) = 45$

Enter	Press	Display	Memory
	C CM	0.	. 0
2	+	2.	0
3	= M+	5.	5
4	+	4.	5
5	= x	9.	5
	MR =	45.	5

Sum of Products

DEC:F

Example: $(2 \times 3) + (4 \times 5) = 26$

Enter	Press	Display	Memory
	CCM	0.	0
2	x	2.	0
3	= M+	6.	6
4	×	4.	6
5	=	20.	6
	+ MR =	26.	6

Reciprocals

The reciprocal of the number displayed (that is, the quotient of the number divided into 1) can be calculated without re-entering the number. Just enter the number, press the + key, and then press the = key twice.

DEC:F

Example: 1/6 = 0.1666666 Enter Pres

6

Press		Display	
c	CM	0.	
÷][=][=]	0.1666666	

Example:
$$\frac{1}{2+3} = 0.2$$

Enter	Press	Display
	С	0.
2	+	2.
3	÷	5.
	= =	0.2

Product/Quotient of Sums

DEC:F

Example:
$$\frac{(7+5) \times (6+4)}{(2+1)} = 40$$

Enter	Press	Display	Memory
	C CM	0.	0
7	+	7.	0
5	= M+	12.	12
6	+	<u> </u>	12
4	x	10.	12
	MR	12.	12
	= CM M+	120.	120
2	+	2.	120
1	=	3.	120
	÷ MR	120.	120
	= ÷	0.025	120
	= =	40.	120

Squares

The square of the number displayed (that is, the product of that number multiplied by itself) can be determined without re-entering the number. Just press the x and express in sequence.

DEC:F

Example: $26^2 = 26 \times 26 = 676$

Enter	Press		Display
	С	СМ	0.
26	X	=	676.

Example: $(5+4)^2 = 81$

Enter	Press	Display
	С	0.
5	+	5.
4	=	9.
	x =	81.

Raising Numbers to a Power

Raising numbers to a power is accomplished — when the exponent is a whole number — by pressing the = key the same number of times as the power, less one.

DEC:F

Example: $4^3 = 64$

Enter	Press	Display
	С	0.
4	×	4.
	=	16.
	=	64.

Example: $3^5 = 243$

Enter	Press	Display
	С	0.
3	×	3.
	=	9.
	=	27.
	=	81.
	=	243

Square Root

The square root of any given number (that is, the number which multiplied by itself equals the given number) can be determined quickly by using a repetitive process.

$$\sqrt{N} \approx 1/2 \left(\frac{N}{Approx_1} + Approx_1 \right) = Approx_2$$

It is necessary to make an initial approximation, but the process rapidly approaches the correct answer. For example to find the square root of 26 to four decimal places, you begin with an approximation of 5.

DEC:4

Example:
$$\sqrt{26} \approx 5$$
 (\approx means "approximately equal to")

Enter	Press	Display	Memory
	C CM	0.	0
26	÷	26.	0
5	+	5.2	0
5	= +	10.2000	0
2	= M+	5.1000	5.1
26	÷	26.	5.1
	MR +	5.0980392	5.1
	MR = +	10.1980	5.1
2	= CM M+ C MR	5.099	5.099
	x =	25.9998	5.099

The last step is an accuracy check. For maximum accuracy, operate the calculator in the floating decimal mode and repeat the process until 8 significant digits are obtained.

Registration Card

Complete and mail the attached Registration Card within 10 days of purchase or receipt as a gift. Also record the serial number of your calculator below. Any correspondence concerning your calculator, include both model and serial number.

P200

Model No.

Serial No.

Purchase Date

In Case of Difficulty

- Check to be sure the ON-OFF switch is in the on position. Presence of digits in the display indicates power is on. If no digits appear in the display, press the c key and 0. should appear. If a number is displayed, but key entries or c key do not affect the display, switch the calculator off and then on.
- 2. If no display appears or if the display appears dim, place the calculator on charge, making sure the charger is plugged into a working AC outlet. Charge for one minute with calculator "OFF" before using calculaor while charging. If the calculator has been inadvertantly left on for several days it is necessary to leave it on charge for 24 hours. Allow the calculator to charge fully before using it as a portable.
- Review the operating instructions to be certain calculations have been performed in the manner described in this book. Improper key sequences may cause an error.

CAUTION: Use of other than the AC9130 AC Adapter/ Charger may apply improper voltage to your calcualtor and cause damage.

If none of the above corrects the difficulty, return the calcualtor for repair to your nearest Montgomery Ward branch. Out of warranty repairs can be mailed directly to the factory Service Facility. Please include the nature of the difficulty experienced and return, include: name, address, city, state and zip code. As with any valued possession, please pack your calcualtor well and mail via parcel post insured to the location shown on the back cover.

Would You Recommend This Purchase Date Your Approximate Age 1 ☐ Under 18 Calculator to a Friend? Please help us in planning other useful products by providing the following information: 25 and over 18-24 State Serial No. Wards Calculator Registration Card Your Occupation (Check One) Model No. Engineer/Scientist TXI-8662 Banker/Financier Farmer/Rancher Mail within 10 days Joctor/Lawyer Other (Specify) City Businessman Accountant Homemaker Educator Student Last Name 045 97860 Where the Calculator Will be Used Initial Was Your Calculator a Gift? 1 □ Yes 2 □ No Owner's Mailing Address Owner's First Name Where Purchased? Retail Store Occupation Catalog School Home (Check One)

sliderulemuseum.com

Zip

ADDENDUM

1.23 .08991228 Example: = 8.991228% 1.23 + 4.56 + 7.89 100

Enter	Press	Display	Memory
	C CM	_ 0.	0.
1.23	M+	1.23	1.23
	С	0.	1.23
4.56	80+	4.56	5.79
	С	· 0.	5.79
7.89	M+	7.89	13.68
	С	0.	13,68
1.23	÷	1.23	13.68
	MR	13.68	13.68
	*	0.1368	13.68
	=	8.991228	13,68

After each entry into memory (M+, M-) of a number which contains a decimal, (Clear) key should be depressed.

NOTE 2: A function key does not change the sign of a negative number recalled from memory.